

EDECO

Tel 7060 2029
info@edeco.dk
www.edeco.dk

ECU-line
D938

23.3

HÅRDMETALLBOR


3 / 5 / 8 / 12 / 15 / 20 / 25xD



GESAC

HM-Bor D938 3xD

ydre / indvendig køling
D938-A3N | D938-A3C



Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
1.00	7	45	4	30	5.5	D938-A3N-0100	133		
1.10	7	45	4	30	5.4	D938-A3N-0110	133		
1.20	7	45	4	30	5.2	D938-A3N-0120	133		
1.30	7	45	4	30	5.1	D938-A3N-0130	133		
1.40	7	45	4	30	4.9	D938-A3N-0140	135		
1.50	9	55	4	38	6.8	D938-A3N-0150	135		
1.60	9	55	4	38	6.6	D938-A3N-0160	133		
1.70	9	55	4	38	6.5	D938-A3N-0170	135		
1.80	9	55	4	38	6.3	D938-A3N-0180	133		
1.90	9	55	4	38	6.2	D938-A3N-0190	133		
2.00	13	55	4	36	10.0	D938-A3N-0200	133	D938-A3C-0200	185
2.10	13	55	4	36	9.9	D938-A3N-0210	133	D938-A3C-0210	185
2.20	13	55	4	36	9.7	D938-A3N-0220	133	D938-A3C-0220	185
2.30	13	55	4	36	9.6	D938-A3N-0230	133	D938-A3C-0230	185
2.40	17	55	4	33	13.4	D938-A3N-0240	133	D938-A3C-0240	185
2.50	17	55	4	33	13.3	D938-A3N-0250	133	D938-A3C-0250	185
2.60	17	55	4	33	13.1	D938-A3N-0260	133	D938-A3C-0260	185
2.70	17	55	4	33	13.0	D938-A3N-0270	133	D938-A3C-0270	185
2.80	17	55	4	33	12.8	D938-A3N-0280	133	D938-A3C-0280	185
2.90	17	55	4	33	12.7	D938-A3N-0290	133	D938-A3C-0290	185
3.00	20	62	6	36	15.5	D938-A3N-0300	149	D938-A3C-0300 ●	181
3.05	20	62	6	36	15.4	D938-A3N-0305	149		
3.10	20	62	6	36	15.4	D938-A3N-0310	149	D938-A3C-0310	181
3.20	20	62	6	36	15.2	D938-A3N-0320	149	D938-A3C-0320	181
3.25	20	62	6	36	15.1	D938-A3N-0325	149	D938-A3C-0325	181
3.30	20	62	6	36	15.1	D938-A3N-0330	149	D938-A3C-0330 ●	181
3.40	20	62	6	36	14.9	D938-A3N-0340	149	D938-A3C-0340	181
3.50	20	62	6	36	14.8	D938-A3N-0350	149	D938-A3C-0350	181
3.60	20	62	6	36	14.6	D938-A3N-0360	149	D938-A3C-0360	181
3.70	20	62	6	36	14.5	D938-A3N-0370	149	D938-A3C-0370	181
3.80	24	66	6	36	18.3	D938-A3N-0380	149	D938-A3C-0380	181
3.90	24	66	6	36	18.2	D938-A3N-0390	149	D938-A3C-0390	181
4.00	24	66	6	36	18.0	D938-A3N-0400	149	D938-A3C-0400 ●	181
4.10	24	66	6	36	17.9	D938-A3N-0410	149	D938-A3C-0410	181
4.15	24	66	6	36	17.8	D938-A3N-0415	149		
4.20	24	66	6	36	17.7	D938-A3N-0420	149	D938-A3C-0420 ●	181
4.30	24	66	6	36	17.6	D938-A3N-0430	149	D938-A3C-0430	181

● = Lager Ej lager = ca 2 veckor

D938 3xD | A3N ydre køling | A3C indvendig køling

Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
4.40	24	66	6	36	17.4	D938-A3N-0440	149	D938-A3C-0440	181
4.50	24	66	6	36	17.3	D938-A3N-0450	149	D938-A3C-0450	181
4.60	24	66	6	36	17.1	D938-A3N-0460	149	D938-A3C-0460	181
4.65	24	66	6	36	17.0	D938-A3N-0465	149	D938-A3C-0465	181
4.70	24	66	6	36	17.0	D938-A3N-0470	149	D938-A3C-0470	181
4.80	28	66	6	36	20.8	D938-A3N-0480	154	D938-A3C-0480	188
4.90	28	66	6	36	20.7	D938-A3N-0490	154	D938-A3C-0490	188
5.00	28	66	6	36	20.5	D938-A3N-0500	154	D938-A3C-0500 ●	188
5.10	28	66	6	36	20.4	D938-A3N-0510	154	D938-A3C-0510	188
5.20	28	66	6	36	20.2	D938-A3N-0520	154	D938-A3C-0520	188
5.30	28	66	6	36	20.1	D938-A3N-0530	154	D938-A3C-0530	188
5.40	28	66	6	36	19.9	D938-A3N-0540	154	D938-A3C-0540	188
5.50	28	66	6	36	19.8	D938-A3N-0550	154	D938-A3C-0550	188
5.55	28	66	6	36	19.7	D938-A3N-0555	154	D938-A3C-0555	188
5.60	28	66	6	36	19.6	D938-A3N-0560	154	D938-A3C-0560	188
5.70	28	66	6	36	19.5	D938-A3N-0570	154	D938-A3C-0570	188
5.80	28	66	6	36	19.3	D938-A3N-0580	154	D938-A3C-0580	188
5.90	28	66	6	36	19.2	D938-A3N-0590	154	D938-A3C-0590	188
6.00	28	66	6	36	19.0	D938-A3N-0600	154	D938-A3C-0600 ●	188
6.05	34	79	8	36	24.9			D938-A3C-0605	252
6.10	34	79	8	36	24.9	D938-A3N-0610	160	D938-A3C-0610	252
6.20	34	79	8	36	24.7	D938-A3N-0620	160	D938-A3C-0620	252
6.30	34	79	8	36	24.6	D938-A3N-0630	160	D938-A3C-0630	252
6.40	34	79	8	36	24.4	D938-A3N-0640	160	D938-A3C-0640	252
6.50	34	79	8	36	24.3	D938-A3N-0650	160	D938-A3C-0650	252
6.60	34	79	8	36	24.1	D938-A3N-0660	160	D938-A3C-0660	252
6.70	34	79	8	36	24.0	D938-A3N-0670	160	D938-A3C-0670	252
6.80	34	79	8	36	23.8	D938-A3N-0680	160	D938-A3C-0680 ●	252
6.90	34	79	8	36	23.7	D938-A3N-0690	160	D938-A3C-0690	252
7.00	34	79	8	36	23.5	D938-A3N-0700	160	D938-A3C-0700 ●	252
7.10	41	79	8	36	30.4	D938-A3N-0710	161	D938-A3C-0710	252
7.20	41	79	8	36	30.2	D938-A3N-0720	161	D938-A3C-0720	252
7.30	41	79	8	36	30.1	D938-A3N-0730	161	D938-A3C-0730	252
7.40	41	79	8	36	29.9	D938-A3N-0740	161	D938-A3C-0740	252
7.45	41	79	8	36	29.8	D938-A3N-0745	161	D938-A3C-0745	252
7.50	41	79	8	36	29.8	D938-A3N-0750	161	D938-A3C-0750	252
7.55	41	79	8	36	29.7	D938-A3N-0755	161	D938-A3C-0755	252
7.60	41	79	8	36	29.6	D938-A3N-0760	161	D938-A3C-0760	252
7.70	41	79	8	36	29.5	D938-A3N-0770	161	D938-A3C-0770	252
7.75	41	79	8	36	29.4			D938-A3C-0775	252
7.80	41	79	8	36	29.3	D938-A3N-0780	161	D938-A3C-0780	252
7.90	41	79	8	36	29.2	D938-A3N-0790	161	D938-A3C-0790	252
8.00	41	79	8	36	29.0	D938-A3N-0800	161	D938-A3C-0800 ●	252
8.10	47	89	10	40	34.9	D938-A3N-0810	180	D938-A3C-0810	302
8.20	47	89	10	40	34.7	D938-A3N-0820	180	D938-A3C-0820	302
8.25	47	89	10	40	34.6			D938-A3C-0825	302
8.30	47	89	10	40	34.6	D938-A3N-0830	180	D938-A3C-0830	302
8.40	47	89	10	40	34.4	D938-A3N-0840	180	D938-A3C-0840	302
8.50	47	89	10	40	34.3	D938-A3N-0850	180	D938-A3C-0850 ●	302
8.60	47	89	10	40	34.1	D938-A3N-0860	180	D938-A3C-0860	302
8.70	47	89	10	40	34.0	D938-A3N-0870	180	D938-A3C-0870	302
8.80	47	89	10	40	33.8	D938-A3N-0880	180	D938-A3C-0880	302
8.90	47	89	10	40	33.7	D938-A3N-0890	180	D938-A3C-0890	302
9.00	47	89	10	40	33.5	D938-A3N-0900	180	D938-A3C-0900 ●	302
9.10	47	89	10	40	33.4	D938-A3N-0910	180	D938-A3C-0910	302

● = Lager Ej lager = ca 2 veckor

D938 3xD | A3N ydre køling | A3C indvendig køling

Dimensions						Art.nr 	Pris DKK	Art.nr 	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
9.20	47	89	10	40	33.2	D938-A3N-0920	180	D938-A3C-0920	302
9.25	47	89	10	40	33.1	D938-A3N-0925	180	D938-A3C-0925	302
9.30	47	89	10	40	33.1	D938-A3N-0930	180	D938-A3C-0930	302
9.35	47	89	10	40	33.0	D938-A3N-0935	180	D938-A3C-0935	302
9.40	47	89	10	40	32.9	D938-A3N-0940		D938-A3C-0940	302
9.50	47	89	10	40	32.8	D938-A3N-0950	180	D938-A3C-0950	302
9.55	47	89	10	40	32.7	D938-A3N-0955	180	D938-A3C-0955	302
9.60	47	89	10	40	32.6	D938-A3N-0960	180	D938-A3C-0960	302
9.70	47	89	10	40	32.5	D938-A3N-0970	180	D938-A3C-0970	302
9.80	47	89	10	40	32.3	D938-A3N-0980	180	D938-A3C-0980	302
9.90	47	89	10	40	32.2	D938-A3N-0990	180	D938-A3C-0990	302
10.00	47	89	10	40	32.0	D938-A3N-1000	180	D938-A3C-1000 ●	302
10.10	55	102	12	45	39.9	D938-A3N-1010	180	D938-A3C-1010	414
10.20	55	102	12	45	39.7	D938-A3N-1020	245	D938-A3C-1020 ●	414
10.25	55	102	12	45	39.6	D938-A3N-1025	245	D938-A3C-1025	414
10.30	55	102	12	45	39.6	D938-A3N-1030	245	D938-A3C-1030	414
10.35	55	102	12	45	39.5	D938-A3N-1035	245		
10.40	55	102	12	45	39.4	D938-A3N-1040	245	D938-A3C-1040	414
10.50	55	102	12	45	39.3	D938-A3N-1050	245	D938-A3C-1050	414
10.60	55	102	12	45	39.1	D938-A3N-1060	245	D938-A3C-1060	414
10.70	55	102	12	45	39.0	D938-A3N-1070	245	D938-A3C-1070	414
10.80	55	102	12	45	38.8	D938-A3N-1080	245	D938-A3C-1080	414
10.85	55	102	12	45	38.7	D938-A3N-1085	245	D938-A3C-1085	414
10.90	55	102	12	45	38.7	D938-A3N-1090	245	D938-A3C-1090	414
11.00	55	102	12	45	38.5	D938-A3N-1100	245	D938-A3C-1100 ●	414
11.10	55	102	12	45	38.4	D938-A3N-1110	245	D938-A3C-1110	414
11.20	55	102	12	45	38.2	D938-A3N-1120	245	D938-A3C-1120	414
11.30	55	102	12	45	38.1	D938-A3N-1130	245	D938-A3C-1130	414
11.40	55	102	12	45	37.9	D938-A3N-1140	245	D938-A3C-1140	414
11.50	55	102	12	45	37.8	D938-A3N-1150	245	D938-A3C-1150	414
11.60	55	102	12	45	37.6	D938-A3N-1160	245	D938-A3C-1160	414
11.70	55	102	12	45	37.5	D938-A3N-1170	245	D938-A3C-1170	414
11.80	55	102	12	45	37.3	D938-A3N-1180	245	D938-A3C-1180	414
11.90	55	102	12	45	37.2	D938-A3N-1190	245	D938-A3C-1190	414
12.00	55	102	12	45	37.0	D938-A3N-1200	245	D938-A3C-1200 ●	414
12.10	60	107	14	45	41.9	D938-A3N-1210	245	D938-A3C-1210	590
12.15	60	107	14	45	41.8	D938-A3N-1215	354		
12.20	60	107	14	45	41.7	D938-A3N-1220	354	D938-A3C-1220	590
12.25	60	107	14	45	41.6	D938-A3N-1225	354		
12.30	60	107	14	45	41.6	D938-A3N-1230	354	D938-A3C-1230	590
12.40	60	107	14	45	41.4	D938-A3N-1240	354		
12.50	60	107	14	45	41.3	D938-A3N-1250	354	D938-A3C-1250	590
12.60	60	107	14	45	41.1	D938-A3N-1260	354	D938-A3C-1260	590
12.70	60	107	14	45	41.0	D938-A3N-1270	354	D938-A3C-1270	590
12.80	60	107	14	45	40.8	D938-A3N-1280	354	D938-A3C-1280	590
12.90	60	107	14	45	40.7	D938-A3N-1290	354	D938-A3C-1285	590
13.00	60	107	14	45	40.5	D938-A3N-1300	354	D938-A3C-1300	590
13.10	60	107	14	45	40.4	D938-A3N-1310	354	D938-A3C-1310	590
13.20	60	107	14	45	40.2	D938-A3N-1320	354		
13.25	60	107	14	45	40.1	D938-A3N-1325	354		
13.30	60	107	14	45	40.1	D938-A3N-1330	354		
13.40	60	107	14	45	39.9	D938-A3N-1340	354	D938-A3C-1340	590
13.50	60	107	14	45	39.8	D938-A3N-1350	354	D938-A3C-1350	590
13.70	60	107	14	45	39.5	D938-A3N-1370	354	D938-A3C-1370	590
13.80	60	107	14	45	39.3	D938-A3N-1380	354	D938-A3C-1380	590

● = Lager Ej lager = ca 2 veckor


D938 3xD | A3N ydre køling | A3C indvendig køling

Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
14.00	60	107	14	45	39.0	D938-A3N-1400	354	D938-A3C-1400	590
14.05	60	107	14	45	38.9		354	D938-A3C-1405	590
14.10	65	115	16	48	43.9	D938-A3N-1410			
14.20	65	115	16	48	43.7	D938-A3N-1420	479	D938-A3C-1420 ●	760
14.30	65	115	16	48	43.6	D938-A3N-1430	479	D938-A3C-1430	760
14.40	65	115	16	48	43.4	D938-A3N-1440	479		
14.50	65	115	16	48	43.3	D938-A3N-1450	479	D938-A3C-1450	760
14.60	65	115	16	48	43.1	D938-A3N-1460	479	D938-A3C-1460	760
14.70	65	115	16	48	43.0	D938-A3N-1470	479	D938-A3C-1470	760
14.80	65	115	16	48	42.8	D938-A3N-1480	479	D938-A3C-1480	760
14.90	65	115	16	48	42.7	D938-A3N-1490	479		
15.00	65	115	16	48	42.5	D938-A3N-1500	479	D938-A3C-1500	760
15.10	65	115	16	48	42.4	D938-A3N-1510	479		
15.20	65	115	16	48	42.2	D938-A3N-1520	479	D938-A3C-1520	760
15.25	65	115	16	48	42.1	D938-A3N-1525	479		
15.30	65	115	16	48	42.1	D938-A3N-1530	479	D938-A3C-1530	760
15.40	65	115	16	48	41.9	D938-A3N-1540	479		
15.50	65	115	16	48	41.8	D938-A3N-1550	479	D938-A3C-1550	760
15.70	65	115	16	48	41.5	D938-A3N-1570	479	D938-A3C-1570	760
15.80	65	115	16	48	41.3	D938-A3N-1580	479	D938-A3C-1580	760
15.90	65	115	16	48	41.2	D938-A3N-1590	479		
16.00	65	115	16	48	41.0	D938-A3N-1600	479	D938-A3C-1600	760
16.10	73	123	18	48	48.9	D938-A3N-1610	479		
16.20	73	123	18	48	48.7	D938-A3N-1620	860		
16.30	73	123	18	48	48.6	D938-A3N-1630	860		
16.40	73	123	18	48	48.4	D938-A3N-1640	860		
16.50	73	123	18	48	48.3	D938-A3N-1650	860	D938-A3C-1650	1040
16.60	73	123	18	48	48.1	D938-A3N-1660	860		
16.70	73	123	18	48	48.0	D938-A3N-1670	860		
16.80	73	123	18	48	47.8	D938-A3N-1680	860	D938-A3C-1680	1040
16.90	73	123	18	48	47.7	D938-A3N-1690	860	D938-A3C-1690	1040
17.00	73	123	18	48	47.5	D938-A3N-1700	860	D938-A3C-1700	1040
17.20	73	123	18	48	47.2	D938-A3N-1720	860		
17.30	73	123	18	48	47.1	D938-A3N-1730	860		
17.40	73	123	18	48	46.9	D938-A3N-1740	860		
17.50	73	123	18	48	46.8	D938-A3N-1750	860	D938-A3C-1750	1040
17.60	73	123	18	48	46.6	D938-A3N-1760	860		
17.70	73	123	18	48	46.5	D938-A3N-1770	860	D938-A3C-1770	1040
17.80	73	123	18	48	46.3	D938-A3N-1780	860	D938-A3C-1780	1040
18.00	73	123	18	48	46.0	D938-A3N-1800	860	D938-A3C-1800	1040
18.20	79	131	20	50	51.7	D938-A3N-1820	860		
18.30	79	131	20	50	51.6		885	D938-A3C-1830	1290
18.40	79	131	20	50	51.4	D938-A3N-1840			
18.50	79	131	20	50	51.3	D938-A3N-1850	885	D938-A3C-1850	1290
18.60	79	131	20	50	51.1	D938-A3N-1860	885		
18.80	79	131	20	50	50.8	D938-A3N-1880	885	D938-A3C-1880	1290
19.00	79	131	20	50	50.5	D938-A3N-1900	885	D938-A3C-1900	1290
19.10	79	131	20	50	50.4	D938-A3N-1910	885		
19.30	79	131	20	50	50.1		885	D938-A3C-1930	1290
19.50	79	131	20	50	49.8	D938-A3N-1950		D938-A3C-1950	1290
19.60	79	131	20	50	49.6		885	D938-A3C-1960	1290
19.70	79	131	20	50	49.5			D938-A3C-1970	1290
19.80	79	131	20	50	49.3	D938-A3N-1980		D938-A3C-1980	1290
19.90	79	131	20	50	49.2	D938-A3N-1990	885		
20.00	79	131	20	50	49.0	D938-A3N-2000	885	D938-A3C-2000	1290

● = Lager Ej lager = ca 2 veckor

HM-Bor D938 5xD

ydre / indvendig køling
D938-A5N | D938-A5C



Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
1.00	9	45	4	28	7.5	D938-A5N-0100	144		
1.60	12	55	4	35	9.6	D938-A5N-0160	144		
1.65	12	55	4	35	9.5	D938-A5N-0165	144		
1.90	12	55	4	35	9.2	D938-A5N-0190	144		
2.00	18	62	4	38	15.0	D938-A5N-0200	151	D938-A5C-0200	280
2.10	18	62	4	38	14.9	D938-A5N-0210	151		
2.30	18	62	4	38	14.6	D938-A5N-0230	151		
2.35	18	62	4	38	14.5	D938-A5N-0235	151		
2.40	22	62	4	35	18.4	D938-A5N-0240	151		
2.50	22	62	4	35	18.3	D938-A5N-0250	151	D938-A5C-0250	280
2.60	22	62	4	35	18.1	D938-A5N-0260	151	D938-A5C-0260	280
2.70	22	62	4	35	18.0	D938-A5N-0270	151		
2.80	22	62	4	35	17.8	D938-A5N-0280	151	D938-A5C-0280	280
2.90	22	62	4	35	17.7	D938-A5N-0290	151		
3.00	28	66	6	36	23.5	D938-A5N-0300	166	D938-A5C-0300 ●	226
3.10	28	66	6	36	23.4	D938-A5N-0310	166	D938-A5C-0310	226
3.15	28	66	6	36	23.3	D938-A5N-0315	166		
3.20	28	66	6	36	23.2	D938-A5N-0320	166	D938-A5C-0320	226
3.25	28	66	6	36	23.1	D938-A5N-0325	166	D938-A5C-0325	226
3.30	28	66	6	36	23.1	D938-A5N-0330	166	D938-A5C-0330 ●	226
3.40	28	66	6	36	22.9	D938-A5N-0340	166	D938-A5C-0340	226
3.50	28	66	6	36	22.8	D938-A5N-0350	166	D938-A5C-0350	226
3.60	28	66	6	36	22.6	D938-A5N-0360	166	D938-A5C-0360	226
3.65	28	66	6	36	22.5	D938-A5N-0365	166	D938-A5C-0365	226
3.70	28	66	6	36	22.5	D938-A5N-0370	166	D938-A5C-0370	226
3.80	36	74	6	36	30.3	D938-A5N-0380	166	D938-A5C-0380	226
3.90	36	74	6	36	30.2	D938-A5N-0390	166	D938-A5C-0390	226
4.00	36	74	6	36	30.0	D938-A5N-0400	166	D938-A5C-0400 ●	226
4.05	36	74	6	36	29.9	D938-A5N-0405	166	D938-A5C-0405	226
4.10	36	74	6	36	29.9	D938-A5N-0410	166	D938-A5C-0410	226
4.20	36	74	6	36	29.7	D938-A5N-0420	166	D938-A5C-0420 ●	226
4.30	36	74	6	36	29.6	D938-A5N-0430	166	D938-A5C-0430	226
4.40	36	74	6	36	29.4	D938-A5N-0440	166	D938-A5C-0440	226
4.50	36	74	6	36	29.3	D938-A5N-0450	166	D938-A5C-0450	226
4.60	36	74	6	36	29.1	D938-A5N-0460	166	D938-A5C-0460	226
4.65	36	74	6	36	29.0	D938-A5N-0465	166	D938-A5C-0465	226
4.70	36	74	6	36	29.0	D938-A5N-0470	166	D938-A5C-0470	226

● = Lager Ej lager = ca 2 veckor

D938 5xD | A5N ydre køling | A5C indvendig køling

Dimensions						Art.nr 	Pris DKK	Art.nr 	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
4.80	44	82	6	36	36.8	D938-A5N-0480	173	D938-A5C-0480	235
4.90	44	82	6	36	36.7	D938-A5N-0490	173	D938-A5C-0490	235
5.00	44	82	6	36	36.5	D938-A5N-0500	173	D938-A5C-0500 ●	235
5.05	44	82	6	36	36.4	D938-A5N-0505	173	D938-A5C-0505	235
5.10	44	82	6	36	36.4	D938-A5N-0510	173	D938-A5C-0510	235
5.20	44	82	6	36	36.2	D938-A5N-0520	173	D938-A5C-0520	235
5.30	44	82	6	36	36.1	D938-A5N-0530	173	D938-A5C-0530	235
5.40	44	82	6	36	35.9	D938-A5N-0540	173	D938-A5C-0540	235
5.50	44	82	6	36	35.8	D938-A5N-0550	173	D938-A5C-0550	235
5.55	44	82	6	36	35.7	D938-A5N-0555	173	D938-A5C-0555	235
5.60	44	82	6	36	35.6	D938-A5N-0560	173	D938-A5C-0560	235
5.70	44	82	6	36	35.5	D938-A5N-0570	173	D938-A5C-0570	235
5.80	44	82	6	36	35.3	D938-A5N-0580	173	D938-A5C-0580	235
5.90	44	82	6	36	35.2	D938-A5N-0590	173	D938-A5C-0590	235
6.00	44	82	6	36	35.0	D938-A5N-0600	173	D938-A5C-0600 ●	235
6.05	44	82	6	36	34.9			D938-A5C-0605	235
6.10	53	91	8	36	43.9	D938-A5N-0610	184	D938-A5C-0610	278
6.20	53	91	8	36	43.7	D938-A5N-0620	184	D938-A5C-0620	278
6.30	53	91	8	36	43.6	D938-A5N-0630	184	D938-A5C-0630	278
6.40	53	91	8	36	43.4	D938-A5N-0640	184	D938-A5C-0640	278
6.50	53	91	8	36	43.3	D938-A5N-0650	184	D938-A5C-0650	278
6.60	53	91	8	36	43.1	D938-A5N-0660	184	D938-A5C-0660	278
6.70	53	91	8	36	43.0	D938-A5N-0670	184	D938-A5C-0670	278
6.80	53	91	8	36	42.8	D938-A5N-0680	184	D938-A5C-0680 ●	278
6.90	53	91	8	36	42.7	D938-A5N-0690	184	D938-A5C-0690	278
7.00	53	91	8	36	42.5	D938-A5N-0700	184	D938-A5C-0700 ●	278
7.05	53	91	8	36	42.4			D938-A5C-0705	278
7.10	53	91	8	36	42.4	D938-A5N-0710	185	D938-A5C-0710	278
7.20	53	91	8	36	42.2	D938-A5N-0720	185	D938-A5C-0720	278
7.30	53	91	8	36	42.1	D938-A5N-0730	185	D938-A5C-0730	278
7.40	53	91	8	36	41.9	D938-A5N-0740	185	D938-A5C-0740	278
7.45	53	91	8	36	41.8	D938-A5N-0745	185	D938-A5C-0745	278
7.50	53	91	8	36	41.8	D938-A5N-0750	185	D938-A5C-0750	278
7.55	53	91	8	36	41.7	D938-A5N-0755	185	D938-A5C-0755	278
7.60	53	91	8	36	41.6	D938-A5N-0760	185	D938-A5C-0760	278
7.70	53	91	8	36	41.5	D938-A5N-0770	185	D938-A5C-0770	278
7.80	53	91	8	36	41.3	D938-A5N-0780	185	D938-A5C-0780	278
7.90	53	91	8	36	41.2	D938-A5N-0790	185	D938-A5C-0790	278
8.00	53	91	8	36	41.0	D938-A5N-0800	185	D938-A5C-0800 ●	278
8.05	53	91	8	36	40.9			D938-A5C-0805	278
8.10	61	103	10	40	48.9	D938-A5N-0810	207	D938-A5C-0810	326
8.15	61	103	10	40	48.8	D938-A5N-0815	207		
8.20	61	103	10	40	48.7	D938-A5N-0820	207	D938-A5C-0820	326
8.30	61	103	10	40	48.6	D938-A5N-0830	207	D938-A5C-0830	326
8.40	61	103	10	40	48.4	D938-A5N-0840	207	D938-A5C-0840	326
8.50	61	103	10	40	48.3	D938-A5N-0850	207	D938-A5C-0850 ●	326
8.60	61	103	10	40	48.1	D938-A5N-0860	207	D938-A5C-0860	326
8.70	61	103	10	40	48.0	D938-A5N-0870	207	D938-A5C-0870	326
8.80	61	103	10	40	47.8	D938-A5N-0880	207	D938-A5C-0880	326
8.90	61	103	10	40	47.7	D938-A5N-0890	207	D938-A5C-0890	326
9.00	61	103	10	40	47.5	D938-A5N-0900	207	D938-A5C-0900 ●	326
9.10	61	103	10	40	47.4	D938-A5N-0910	207	D938-A5C-0910	326
9.20	61	103	10	40	47.2	D938-A5N-0920	207	D938-A5C-0920	326
9.25	61	103	10	40	47.1	D938-A5N-0925	228	D938-A5C-0925	326
9.30	61	103	10	40	47.1	D938-A5N-0930	207	D938-A5C-0930	326

● = Lager Ej lager = ca 2 veckor

D938 5xD | A5N ydre køling | A5C indvendig køling

Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
9.35	61	103	10	40	47.0	D938-A5N-0935	228	D938-A5C-0935	326
9.40	61	103	10	40	46.9	D938-A5N-0940	207	D938-A5C-0940	326
9.50	61	103	10	40	46.8	D938-A5N-0950	207	D938-A5C-0950	326
9.55	61	103	10	40	46.7	D938-A5N-0955	207	D938-A5C-0955	326
9.60	61	103	10	40	46.6	D938-A5N-0960	207	D938-A5C-0960	326
9.70	61	103	10	40	46.5	D938-A5N-0970	207	D938-A5C-0970	326
9.80	61	103	10	40	46.3	D938-A5N-0980	207	D938-A5C-0980	326
9.90	61	103	10	40	46.2	D938-A5N-0990	207	D938-A5C-0990	326
10.00	61	103	10	40	46.0	D938-A5N-1000	207	D938-A5C-1000 ●	326
10.05	61	103	10	40	45.9	D938-A5N-1005	207	D938-A5C-1005	326
10.10	71	118	12	45	55.9	D938-A5N-1010	279	D938-A5C-1010	447
10.20	71	118	12	45	55.7	D938-A5N-1020	279	D938-A5C-1020 ●	447
10.25	71	118	12	45	55.6	D938-A5N-1025	279	D938-A5C-1025	447
10.30	71	118	12	45	55.6	D938-A5N-1030	279	D938-A5C-1030	447
10.40	71	118	12	45	55.4	D938-A5N-1040	279	D938-A5C-1040	447
10.50	71	118	12	45	55.3	D938-A5N-1050	279	D938-A5C-1050	447
10.60	71	118	12	45	55.1	D938-A5N-1060	279	D938-A5C-1060	447
10.70	71	118	12	45	55.0	D938-A5N-1070	279	D938-A5C-1070	447
10.80	71	118	12	45	54.8	D938-A5N-1080	279	D938-A5C-1080	447
10.85	71	118	12	45	54.7	D938-A5N-1085	279	D938-A5C-1085	447
10.90	71	118	12	45	54.7	D938-A5N-1090	279	D938-A5C-1090	447
11.00	71	118	12	45	54.5	D938-A5N-1100	279	D938-A5C-1100 ●	447
11.10	71	118	12	45	54.4	D938-A5N-1110	279	D938-A5C-1110	447
11.20	71	118	12	45	54.2	D938-A5N-1120	279	D938-A5C-1120	447
11.30	71	118	12	45	54.1	D938-A5N-1130	279	D938-A5C-1130	447
11.40	71	118	12	45	53.9	D938-A5N-1140	279	D938-A5C-1140	447
11.50	71	118	12	45	53.8	D938-A5N-1150	279	D938-A5C-1150	447
11.60	71	118	12	45	53.6	D938-A5N-1160	279	D938-A5C-1160	447
11.70	71	118	12	45	53.5	D938-A5N-1170	279	D938-A5C-1170	447
11.80	71	118	12	45	53.3	D938-A5N-1180	279	D938-A5C-1180	447
11.90	71	118	12	45	53.2	D938-A5N-1190	279	D938-A5C-1190	447
12.00	71	118	12	45	53.0	D938-A5N-1200	279	D938-A5C-1200 ●	447
12.05	71	118	12	45	52.9			D938-A5C-1205	447
12.10	77	124	14	45	58.9	D938-A5N-1210	403	D938-A5C-1210	630
12.20	77	124	14	45	58.7	D938-A5N-1220	403	D938-A5C-1220	630
12.30	77	124	14	45	58.6	D938-A5N-1230	403	D938-A5C-1230	630
12.40	77	124	14	45	58.4	D938-A5N-1240	403	D938-A5C-1240	630
12.50	77	124	14	45	58.3	D938-A5N-1250	403	D938-A5C-1250	630
12.60	77	124	14	45	58.1	D938-A5N-1260	403	D938-A5C-1260	630
12.70	77	124	14	45	58.0	D938-A5N-1270	403	D938-A5C-1270	630
12.80	77	124	14	45	57.8	D938-A5N-1280	403	D938-A5C-1280	630
12.85	77	124	14	45	57.7			D938-A5C-1285	630
12.90	77	124	14	45	57.7	D938-A5N-1290	403		
13.00	77	124	14	45	57.5	D938-A5N-1300	403	D938-A5C-1300 ●	630
13.10	77	124	14	45	57.4			D938-A5C-1310	630
13.20	77	124	14	45	57.2	D938-A5N-1320	403	D938-A5C-1320	630
13.25	77	124	14	45	57.1			D938-A5C-1325	630
13.30	77	124	14	45	57.1			D938-A5C-1330	630
13.50	77	124	14	45	56.8	D938-A5N-1350	403	D938-A5C-1350	630
13.55	77	124	14	45	56.7	D938-A5N-1355	403		
13.60	77	124	14	45	56.6			D938-A5C-1360	630
13.70	77	124	14	45	56.5	D938-A5N-1370	403	D938-A5C-1370	630
13.75	77	124	14	45	56.4	D938-A5N-1375	403		
13.80	77	124	14	45	56.3	D938-A5N-1380	403	D938-A5C-1380	630
13.90	77	124	14	45	56.2	D938-A5N-1390	403	D938-A5C-1390	630

● = Lager Ej lager = ca 2 veckor


D938 5xD | A5N ydre køling | A5C indvendig køling

Dimensions						Art.nr	Pris DKK	Art.nr	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU				
14.00	77	124	14	45	56.0	D938-A5N-1400	403	D938-A5C-1400 •	630
14.10	83	133	16	48	61.9	D938-A5N-1410	545	D938-A5C-1410	810
14.20	83	133	16	48	61.7	D938-A5N-1420	545	D938-A5C-1420	810
14.30	83	133	16	48	61.6	D938-A5N-1430	545	D938-A5C-1430	810
14.40	83	133	16	48	61.4			D938-A5C-1440	810
14.50	83	133	16	48	61.3	D938-A5N-1450	545	D938-A5C-1450	810
14.60	83	133	16	48	61.1	D938-A5N-1460	545	D938-A5C-1460	810
14.70	83	133	16	48	61.0			D938-A5C-1470	810
14.80	83	133	16	48	60.8	D938-A5N-1480	545	D938-A5C-1480	810
15.00	83	133	16	48	60.5	D938-A5N-1500	545	D938-A5C-1500	810
15.10	83	133	16	48	60.4	D938-A5N-1510	545	D938-A5C-1510	810
15.20	83	133	16	48	60.2			D938-A5C-1520	810
15.25	83	133	16	48	60.1	D938-A5N-1525	575		
15.30	83	133	16	48	60.1			D938-A5C-1530	810
15.50	83	133	16	48	59.8	D938-A5N-1550	545	D938-A5C-1550	810
15.70	83	133	16	48	59.5	D938-A5N-1570	545	D938-A5C-1570	810
15.80	83	133	16	48	59.3	D938-A5N-1580	545	D938-A5C-1580	810
16.00	83	133	16	48	59.0	D938-A5N-1600	545	D938-A5C-1600	810
16.50	93	143	18	48	68.3	D938-A5N-1650	910	D938-A5C-1650	1180
16.60	93	143	18	48	68.1	D938-A5N-1660	910		
16.70	93	143	18	48	68.0			D938-A5C-1670	1180
16.80	93	143	18	48	67.8	D938-A5N-1680	910	D938-A5C-1680	1180
16.90	93	143	18	48	67.7			D938-A5C-1690	1180
16.95	93	143	18	48	67.6	D938-A5N-1695	910		
17.00	93	143	18	48	67.5	D938-A5N-1700	910	D938-A5C-1700	1180
17.20	93	143	18	48	67.2			D938-A5C-1720	1180
17.30	93	143	18	48	67.1	D938-A5N-1730	910		
17.50	93	143	18	48	66.8	D938-A5N-1750	910	D938-A5C-1750	1180
17.70	93	143	18	48	66.5			D938-A5C-1770	1180
17.80	93	143	18	48	66.3	D938-A5N-1780	910	D938-A5C-1780	1180
17.95	93	143	18	48	66.1	D938-A5N-1795	910		
18.00	93	143	18	48	66.0	D938-A5N-1800	910	D938-A5C-1800	1180
18.50	101	153	20	50	73.3	D938-A5N-1850	940	D938-A5C-1850	1470
18.60	101	153	20	50	73.1	D938-A5N-1860	940	D938-A5C-1860	1470
19.00	101	153	20	50	72.5	D938-A5N-1900	940	D938-A5C-1900	1470
19.50	101	153	20	50	71.8	D938-A5N-1950	940	D938-A5C-1950	1470
20.00	101	153	20	50	71.0	D938-A5N-2000	940	D938-A5C-2000	1470

• = Lager Ej lager = ca 2 uger

HM-Bor D938 8xD

indvendig køling
D938-A8C



Dimensions						Art.nr 	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU		
2.80	31	66	4	30	26.8	D938-A8C-0280	437
2.90	31	66	4	30	26.7	D938-A8C-0290	437
3.00	34	72	6	36	29.5	D938-A8C-0300	437
3.10	34	72	6	36	29.4	D938-A8C-0310	437
3.20	34	72	6	36	29.2	D938-A8C-0320	437
3.25	34	72	6	36	29.1	D938-A8C-0325	437
3.30	34	72	6	36	29.1	D938-A8C-0330	437
3.40	34	72	6	36	28.9	D938-A8C-0340	437
3.50	34	72	6	36	28.8	D938-A8C-0350	437
3.60	34	72	6	36	28.6	D938-A8C-0360	437
3.70	34	72	6	36	28.5	D938-A8C-0370	437
3.80	43	81	6	36	37.3	D938-A8C-0380	451
3.90	43	81	6	36	37.2	D938-A8C-0390	451
4.00	43	81	6	36	37.0	D938-A8C-0400	451
4.10	43	81	6	36	36.9	D938-A8C-0410	451
4.20	43	81	6	36	36.7	D938-A8C-0420	451
4.30	43	81	6	36	36.6	D938-A8C-0430	451
4.40	43	81	6	36	36.4	D938-A8C-0440	451
4.50	43	81	6	36	36.3	D938-A8C-0450	451
4.60	43	81	6	36	36.1	D938-A8C-0460	451
4.70	43	81	6	36	36.0	D938-A8C-0470	451
4.80	57	95	6	36	49.8	D938-A8C-0480	463
4.90	57	95	6	36	49.7	D938-A8C-0490	463
5.00	57	95	6	36	49.5	D938-A8C-0500	463
5.10	57	95	6	36	49.4	D938-A8C-0510	463
5.20	57	95	6	36	49.2	D938-A8C-0520	463
5.30	57	95	6	36	49.1	D938-A8C-0530	463
5.40	57	95	6	36	48.9	D938-A8C-0540	463
5.50	57	95	6	36	48.8	D938-A8C-0550	463
5.60	57	95	6	36	48.6	D938-A8C-0560	463
5.70	57	95	6	36	48.5	D938-A8C-0570	463
5.80	57	95	6	36	48.3	D938-A8C-0580	463
5.90	57	95	6	36	48.2	D938-A8C-0590	463
6.00	57	95	6	36	48.0	D938-A8C-0600	463
6.10	76	114	8	36	66.9	D938-A8C-0610	560
6.20	76	114	8	36	66.7	D938-A8C-0620	560
6.30	76	114	8	36	66.6	D938-A8C-0630	560

● = Lager Ej lager = ca 2 veckor

D938 8xD | A8C indvendig køling

Dimensions						Art.nr 	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU		
6.40	76	114	8	36	66.4	D938-A8C-0640	560
6.50	76	114	8	36	66.3	D938-A8C-0650	560
6.60	76	114	8	36	66.1	D938-A8C-0660	560
6.70	76	114	8	36	66.0	D938-A8C-0670	560
6.80	76	114	8	36	65.8	D938-A8C-0680	560
6.90	76	114	8	36	65.7	D938-A8C-0690	560
7.00	76	114	8	36	65.5	D938-A8C-0700	560
7.10	76	114	8	36	65.4	D938-A8C-0710	560
7.20	76	114	8	36	65.2	D938-A8C-0720	560
7.30	76	114	8	36	65.1	D938-A8C-0730	560
7.40	76	114	8	36	64.9	D938-A8C-0740	560
7.50	76	114	8	36	64.8	D938-A8C-0750	560
7.60	76	114	8	36	64.6	D938-A8C-0760	560
7.70	76	114	8	36	64.5	D938-A8C-0770	560
7.80	76	114	8	36	64.3	D938-A8C-0780	560
7.90	76	114	8	36	64.2	D938-A8C-0790	560
8.00	76	114	8	36	64.0	D938-A8C-0800	560
8.10	95	142	10	40	82.9	D938-A8C-0810	720
8.20	95	142	10	40	82.7	D938-A8C-0820	720
8.30	95	142	10	40	82.6	D938-A8C-0830	720
8.40	95	142	10	40	82.4	D938-A8C-0840	720
8.50	95	142	10	40	82.3	D938-A8C-0850	720
8.60	95	142	10	40	82.1	D938-A8C-0860	720
8.70	95	142	10	40	82.0	D938-A8C-0870	720
8.80	95	142	10	40	81.8	D938-A8C-0880	720
8.90	95	142	10	40	81.7	D938-A8C-0890	720
9.00	95	142	10	40	81.5	D938-A8C-0900	720
9.10	95	142	10	40	81.4	D938-A8C-0910	720
9.20	95	142	10	40	81.2	D938-A8C-0920	720
9.30	95	142	10	40	81.1	D938-A8C-0930	720
9.40	95	142	10	40	80.9	D938-A8C-0940	720
9.50	95	142	10	40	80.8	D938-A8C-0950	720
9.60	95	142	10	40	80.6	D938-A8C-0960	720
9.70	95	142	10	40	80.5	D938-A8C-0970	720
9.80	95	142	10	40	80.3	D938-A8C-0980	720
9.90	95	142	10	40	80.2	D938-A8C-0990	720
10.00	95	142	10	40	80.0	D938-A8C-1000	720
10.10	114	162	12	45	98.9	D938-A8C-1010	905
10.20	114	162	12	45	98.7	D938-A8C-1020	905
10.30	114	162	12	45	98.6	D938-A8C-1030	905
10.40	114	162	12	45	98.4	D938-A8C-1040	905
10.50	114	162	12	45	98.3	D938-A8C-1050	905
10.60	114	162	12	45	98.1	D938-A8C-1060	905
10.80	114	162	12	45	97.8	D938-A8C-1080	905
10.90	114	162	12	45	97.7	D938-A8C-1090	905
11.00	114	162	12	45	97.5	D938-A8C-1100	905
11.20	114	162	12	45	97.2	D938-A8C-1120	905
11.30	114	162	12	45	97.1	D938-A8C-1130	905
11.40	114	162	12	45	96.9	D938-A8C-1140	905
11.50	114	162	12	45	96.8	D938-A8C-1150	905
11.60	114	162	12	45	96.6	D938-A8C-1160	905
11.70	114	162	12	45	96.5	D938-A8C-1170	905
11.80	114	162	12	45	96.3	D938-A8C-1180	905
11.90	114	162	12	45	96.2	D938-A8C-1190	905
12.00	114	162	12	45	96.0	D938-A8C-1200	905

• = Lager Ej lager = ca 2 veckor


D938 8xD | A8C indvendig køling

Dimensions						Art.nr 	Pris DKK
DC (m7)	LCF	OAL	DMM (h6)	LS	LU		
12.10	133	182	14	45	114.9	D938-A8C-1210	1230
12.20	133	182	14	45	114.7	D938-A8C-1220	1230
12.30	133	182	14	45	114.6	D938-A8C-1230	1230
12.40	133	182	14	45	114.4	D938-A8C-1240	1230
12.50	133	182	14	45	114.3	D938-A8C-1250	1230
12.70	133	182	14	45	114.0	D938-A8C-1270	1230
12.80	133	182	14	45	113.8	D938-A8C-1280	1230
12.90	133	182	14	45	113.7	D938-A8C-1290	1230
13.00	133	182	14	45	113.5	D938-A8C-1300	1230
13.50	133	182	14	45	112.8	D938-A8C-1350	1230
13.80	133	182	14	45	112.3	D938-A8C-1380	1230
14.00	133	182	14	45	112.0	D938-A8C-1400	1230
14.20	152	203	16	48	130.7	D938-A8C-1420	1730
14.30	152	203	16	48	130.6	D938-A8C-1430	1730
14.50	152	203	16	48	130.3	D938-A8C-1450	1730
14.60	152	203	16	48	130.1	D938-A8C-1460	1730
14.70	152	203	16	48	130.0	D938-A8C-1470	1730
14.80	152	203	16	48	129.8	D938-A8C-1480	1730
15.00	152	203	16	48	129.5	D938-A8C-1500	1730
15.20	152	203	16	48	129.2	D938-A8C-1520	1730
15.30	152	203	16	48	129.1	D938-A8C-1530	1730
15.50	152	203	16	48	128.8	D938-A8C-1550	1730
15.80	152	203	16	48	128.3	D938-A8C-1580	1730
15.90	152	203	16	48	128.2	D938-A8C-1590	1730
16.00	152	203	16	48	128.0	D938-A8C-1600	1730
16.50	171	222	18	48	146.3	D938-A8C-1650	2000
16.70	171	222	18	48	146.0	D938-A8C-1670	2000
17.00	171	222	18	48	145.5	D938-A8C-1700	2000
17.50	171	222	18	48	144.8	D938-A8C-1750	2000
17.80	171	222	18	48	144.3	D938-A8C-1780	2000
18.00	171	222	18	48	144.0	D938-A8C-1800	2000
18.50	190	243	20	50	162.3	D938-A8C-1850	2460
19.00	190	243	20	50	161.5	D938-A8C-1900	2460
19.50	190	243	20	50	160.8	D938-A8C-1950	2460
20.00	190	243	20	50	160.0	D938-A8C-2000	2460

● = Lager Ej lager = ca 2 uger

HM-Bor D938 12xD

indvendig køling
D938-A12C



Anbefale D938-A3C som pilotbor



Dimensions						Art.nr 	Pris DKK
DC (h7)	LCF	OAL	DMM (h6)	LS	LU		
3.00	54	92	6	36	49.5	D938-A12C-0300	710
3.10	54	92	6	36	49.4	D938-A12C-0310	710
3.20	54	92	6	36	49.2	D938-A12C-0320	710
3.30	54	92	6	36	49.1	D938-A12C-0330	710
3.40	54	92	6	36	48.9	D938-A12C-0340	710
3.50	54	92	6	36	48.8	D938-A12C-0350	710
3.60	54	92	6	36	48.6	D938-A12C-0360	710
3.70	54	92	6	36	48.5	D938-A12C-0370	710
3.80	64	102	6	36	58.3	D938-A12C-0380	735
3.90	64	102	6	36	58.2	D938-A12C-0390	735
4.00	64	102	6	36	58.0	D938-A12C-0400	735
4.10	64	102	6	36	57.9	D938-A12C-0410	735
4.20	64	102	6	36	57.7	D938-A12C-0420	735
4.30	64	102	6	36	57.6	D938-A12C-0430	735
4.40	64	102	6	36	57.4	D938-A12C-0440	735
4.50	64	102	6	36	57.3	D938-A12C-0450	735
4.60	64	102	6	36	57.1	D938-A12C-0460	735
4.70	64	102	6	36	57.0	D938-A12C-0470	735
4.80	83	121	6	36	75.8	D938-A12C-0480	750
4.90	83	121	6	36	75.7	D938-A12C-0490	750
5.00	83	121	6	36	75.5	D938-A12C-0500	750
5.10	83	121	6	36	75.4	D938-A12C-0510	750
5.20	83	121	6	36	75.2	D938-A12C-0520	750
5.30	83	121	6	36	75.1	D938-A12C-0530	750
5.40	83	121	6	36	74.9	D938-A12C-0540	750
5.50	83	121	6	36	74.8	D938-A12C-0550	750
5.60	83	121	6	36	74.6	D938-A12C-0560	750
5.70	83	121	6	36	74.5	D938-A12C-0570	750
5.80	83	121	6	36	74.3	D938-A12C-0580	750
5.90	83	121	6	36	74.2	D938-A12C-0590	750
6.00	83	121	6	36	74.0	D938-A12C-0600	750
6.10	110	148	8	36	100.9	D938-A12C-0610	855
6.20	110	148	8	36	100.7	D938-A12C-0620	855
6.30	110	148	8	36	100.6	D938-A12C-0630	855
6.40	110	148	8	36	100.4	D938-A12C-0640	855
6.50	110	148	8	36	100.3	D938-A12C-0650	855
6.60	110	148	8	36	100.1	D938-A12C-0660	855

● = Lager Ej lager = ca 2 veckor

D938 12xD | A12C indvendig køling

Dimensions						Art.nr 	Pris DKK
DC (h7)	LCF	OAL	DMM (h6)	LS	LU		
6.70	110	148	8	36	100.0	D938-A12C-0670	855
6.80	110	148	8	36	99.8	D938-A12C-0680	855
6.90	110	148	8	36	99.7	D938-A12C-0690	855
7.00	110	148	8	36	99.5	D938-A12C-0700	855
7.10	110	148	8	36	99.4	D938-A12C-0710	855
7.20	110	148	8	36	99.2	D938-A12C-0720	855
7.30	110	148	8	36	99.1	D938-A12C-0730	855
7.40	110	148	8	36	98.9	D938-A12C-0740	855
7.50	110	148	8	36	98.8	D938-A12C-0750	855
7.60	110	148	8	36	98.6	D938-A12C-0760	855
7.70	110	148	8	36	98.5	D938-A12C-0770	855
7.80	110	148	8	36	98.3	D938-A12C-0780	855
7.90	110	148	8	36	98.2	D938-A12C-0790	855
8.00	110	148	8	36	98.0	D938-A12C-0800	855
8.10	138	180	10	40	125.9	D938-A12C-0810	1170
8.20	138	180	10	40	125.7	D938-A12C-0820	1170
8.30	138	180	10	40	125.6	D938-A12C-0830	1170
8.40	138	180	10	40	125.4	D938-A12C-0840	1170
8.50	138	180	10	40	125.3	D938-A12C-0850	1170
8.60	138	180	10	40	125.1	D938-A12C-0860	1170
8.70	138	180	10	40	125.0	D938-A12C-0870	1170
8.80	138	180	10	40	124.8	D938-A12C-0880	1170
8.90	138	180	10	40	124.7	D938-A12C-0890	1170
9.00	138	180	10	40	124.5	D938-A12C-0900	1170
9.10	138	180	10	40	124.4	D938-A12C-0910	1170
9.20	138	180	10	40	124.2	D938-A12C-0920	1170
9.30	138	180	10	40	124.1	D938-A12C-0930	1170
9.40	138	180	10	40	123.9	D938-A12C-0940	1170
9.50	138	180	10	40	123.8	D938-A12C-0950	1170
9.60	138	180	10	40	123.6	D938-A12C-0960	1170
9.70	138	180	10	40	123.5	D938-A12C-0970	1170
9.80	138	180	10	40	123.3	D938-A12C-0980	1170
9.90	138	180	10	40	123.2	D938-A12C-0990	1170
10.00	138	180	10	40	123.0	D938-A12C-1000	1170
10.20	158	206	12	45	142.7	D938-A12C-1020	1470
10.30	158	206	12	45	142.6	D938-A12C-1030	1470
10.50	158	206	12	45	142.3	D938-A12C-1050	1470
10.60	158	206	12	45	142.1	D938-A12C-1060	1470
10.80	158	206	12	45	141.8	D938-A12C-1080	1470
11.00	158	206	12	45	141.5	D938-A12C-1100	1470
11.20	158	206	12	45	141.2	D938-A12C-1120	1470
11.50	158	206	12	45	140.8	D938-A12C-1150	1470
11.60	158	206	12	45	140.6	D938-A12C-1160	1470
11.80	158	206	12	45	140.3	D938-A12C-1180	1470
11.90	158	206	12	45	140.2	D938-A12C-1190	1470
12.00	158	206	12	45	140.0	D938-A12C-1200	1470
12.10	182	230	14	45	163.9	D938-A12C-1210	2000
12.20	182	230	14	45	163.7	D938-A12C-1220	2000
12.40	182	230	14	45	163.4	D938-A12C-1240	2000
12.50	182	230	14	45	163.3	D938-A12C-1250	2000
12.70	182	230	14	45	163.0	D938-A12C-1270	2000
12.80	182	230	14	45	162.8	D938-A12C-1280	2000
13.00	182	230	14	45	162.5	D938-A12C-1300	2000
13.50	182	230	14	45	161.8	D938-A12C-1350	2000
13.80	182	230	14	45	161.3	D938-A12C-1380	2000


● = Lager Ej lager = ca 2 veckor

D938 12xD | A12C indvendig køling

Dimensions						Art.nr 	Pris DKK
DC (h7)	LCF	OAL	DMM (h6)	LS	LU		
14.00	182	230	14	45	161.0	D938-A12C-1400	2000
14.20	208	260	16	48	186.7	D938-A12C-1420	2820
14.50	208	260	16	48	186.3	D938-A12C-1450	2820
14.80	208	260	16	48	185.8	D938-A12C-1480	2820
15.00	208	260	16	48	185.5	D938-A12C-1500	2820
15.50	208	260	16	48	184.8	D938-A12C-1550	2820
15.80	208	260	16	48	184.3	D938-A12C-1580	2820
16.00	208	260	16	48	184.0	D938-A12C-1600	2820

HM-Bor D938 15xD

indvendig køling
D938-A15C



Anbefale D938-A3C som pilotbor



Dimensions						Art.nr 	Pris DKK
DC (h7)	LCF	OAL	DMM (h6)	LS	LU		
3.00	55	95	6	36	50.5	D938-A15C-0300	1030
3.10	67	106	6	36	62.4	D938-A15C-0310	1030
3.20	67	106	6	36	62.2	D938-A15C-0320	1030
3.30	67	106	6	36	62.1	D938-A15C-0330	1030
3.40	67	106	6	36	61.9	D938-A15C-0340	1030
3.50	76	116	6	36	70.8	D938-A15C-0350	1030
3.60	76	116	6	36	70.6	D938-A15C-0360	1030
3.70	76	116	6	36	70.5	D938-A15C-0370	1030
3.80	76	116	6	36	70.3	D938-A15C-0380	1060
3.90	76	116	6	36	70.2	D938-A15C-0390	1060
4.00	76	116	6	36	70.0	D938-A15C-0400	1060
4.10	93	133	6	36	86.9	D938-A15C-0410	1060
4.20	93	133	6	36	86.7	D938-A15C-0420	1060
4.30	93	133	6	36	86.6	D938-A15C-0430	1060
4.40	93	133	6	36	86.4	D938-A15C-0440	1060
4.50	93	133	6	36	86.3	D938-A15C-0450	1060
4.60	93	133	6	36	86.1	D938-A15C-0460	1060
4.70	93	133	6	36	86.0	D938-A15C-0470	1060
4.80	93	133	6	36	85.8	D938-A15C-0480	1090
4.90	93	133	6	36	85.7	D938-A15C-0490	1090
5.00	93	133	6	36	85.5	D938-A15C-0500	1090
5.10	110	150	6	36	102.4	D938-A15C-0510	1090
5.20	110	150	6	36	102.2	D938-A15C-0520	1090
5.30	110	150	6	36	102.1	D938-A15C-0530	1090
5.40	110	150	6	36	101.9	D938-A15C-0540	1090
5.50	110	150	6	36	101.8	D938-A15C-0550	1090
5.60	110	150	6	36	101.6	D938-A15C-0560	1090
5.70	110	150	6	36	101.5	D938-A15C-0570	1090
5.80	110	150	6	36	101.3	D938-A15C-0580	1090
5.90	110	150	6	36	101.2	D938-A15C-0590	1090
6.00	110	150	6	36	101.0	D938-A15C-0600	1090
6.10	127	167	8	36	117.9	D938-A15C-0610	1240
6.20	127	167	8	36	117.7	D938-A15C-0620	1240
6.30	127	167	8	36	117.6	D938-A15C-0630	1240
6.40	127	167	8	36	117.4	D938-A15C-0640	1240
6.50	127	167	8	36	117.3	D938-A15C-0650	1240
6.60	127	167	8	36	117.1	D938-A15C-0660	1240

● = Lager Ej lager = ca 2 uger

D938 15xD | A15C indvendig køling

Dimensions						Art.nr 	Pris DKK
DC (h7)	LCF	OAL	DMM (h6)	LS	LU		
6.70	127	167	8	36	117.0	D938-A15C-0670	1240
6.80	127	167	8	36	116.8	D938-A15C-0680	1240
6.90	127	167	8	36	116.7	D938-A15C-0690	1240
7.00	127	167	8	36	116.5	D938-A15C-0700	1240
7.10	143	183	8	36	132.4	D938-A15C-0710	1240
7.20	143	183	8	36	132.2	D938-A15C-0720	1240
7.30	143	183	8	36	132.1	D938-A15C-0730	1240
7.40	143	183	8	36	131.9	D938-A15C-0740	1240
7.50	143	183	8	36	131.8	D938-A15C-0750	1240
7.60	143	183	8	36	131.6	D938-A15C-0760	1240
7.70	143	183	8	36	131.5	D938-A15C-0770	1240
7.80	143	183	8	36	131.3	D938-A15C-0780	1240
7.90	143	183	8	36	131.2	D938-A15C-0790	1240
8.00	143	183	8	36	131.0	D938-A15C-0800	1240
8.10	160	204	10	40	147.9	D938-A15C-0810	1700
8.20	160	204	10	40	147.7	D938-A15C-0820	1700
8.30	160	204	10	40	147.6	D938-A15C-0830	1700
8.40	160	204	10	40	147.4	D938-A15C-0840	1700
8.50	160	204	10	40	147.3	D938-A15C-0850	1700
8.60	160	204	10	40	147.1	D938-A15C-0860	1700
8.70	160	204	10	40	147.0	D938-A15C-0870	1700
8.80	160	204	10	40	146.8	D938-A15C-0880	1700
8.90	160	204	10	40	146.7	D938-A15C-0890	1700
9.00	160	204	10	40	146.5	D938-A15C-0900	1700
9.10	177	221	10	40	163.4	D938-A15C-0910	1700
9.20	177	221	10	40	163.2	D938-A15C-0920	1700
9.30	177	221	10	40	163.1	D938-A15C-0930	1700
9.40	177	221	10	40	162.9	D938-A15C-0940	1700
9.50	177	221	10	40	162.8	D938-A15C-0950	1700
9.60	177	221	10	40	162.6	D938-A15C-0960	1700
9.70	177	221	10	40	162.5	D938-A15C-0970	1700
9.80	177	221	10	40	162.3	D938-A15C-0980	1700
9.90	177	221	10	40	162.2	D938-A15C-0990	1700
10.00	177	221	10	40	162.0	D938-A15C-1000	1700
10.20	198	247	12	45	182.7	D938-A15C-1020	2130
10.30	198	247	12	45	182.6	D938-A15C-1030	2130
10.40	198	247	12	45	182.4	D938-A15C-1040	2130
10.50	198	247	12	45	182.3	D938-A15C-1050	2130
10.80	198	247	12	45	181.8	D938-A15C-1080	2130
11.00	198	247	12	45	181.5	D938-A15C-1100	2130
11.20	214	263	12	45	197.2	D938-A15C-1120	2130
11.50	214	263	12	45	196.8	D938-A15C-1150	2130
11.60	214	263	12	45	196.6	D938-A15C-1160	2130
11.70	214	263	12	45	196.5	D938-A15C-1170	
11.80	214	263	12	45	196.3	D938-A15C-1180	2130
12.00	214	263	12	45	196.0	D938-A15C-1200	2130
12.10	248	297	14	45	229.9	D938-A15C-1210	2490
12.20	248	297	14	45	229.7	D938-A15C-1220	2490
12.50	248	297	14	45	229.3	D938-A15C-1250	2490
12.80	248	297	14	45	228.8	D938-A15C-1280	2490
13.00	248	297	14	45	228.5	D938-A15C-1300	2490
13.50	248	297	14	45	227.8	D938-A15C-1350	2490
13.80	248	297	14	45	227.3	D938-A15C-1380	2490
14.00	248	297	14	45	227.0	D938-A15C-1400	2490

● = Lager Ej lager = ca 2 veckor


indvendig køling
D938-A20C



SHANK DIN 8520M4 AITiN nano 20D  P M K

● = Lager Ej lager = ca 2 veckor

indvendig køling
D938-A25C



Anbefale D938-A3C som pilotbor

[illegible]

● = Lager Ej lager = ca 2 veckor

D938 Series Twist Drill for Steel

- Suitable for Steel ($\leq 48\text{HRC}$) and Cast Iron
- Unique cutting edge treatment, consolidates the cutting edge, improves the Drilling performance and stability
- New AlTiN-nano coating, superior wear-resistance and longer service life
- Straight cutting edge, improves tool strength



D938 Series 12D-25D Deep Hole Internal Coolant Twist Drill

- Suitable for efficient Drilling of Steel, Cast Iron and Stainless steel
- New substrate material, perfect balance of toughness and wear resistance
- Using AlTiN-nano coating and unique post-processing of coating
- Optimize groove profile and Drill point design, with super self-centering Performance, chip breaking performance and good chip evacuation performance



Anbefale skärdata D938

Workpiece			Cutting Speed Vc (m/min)		Feed Rate fn (mm/rev)				
					Ø 3	Ø 6	Ø 10	Ø 16	Ø 20
3D, 5D, 8D, 12D, 15D, 20D, 25D	P	Low carbon steel, Long Chip (<125HB)	120-80-50	140-100-60	0.10-0.15-0.20	0.14-0.19-0.25	0.16-0.22-0.35	0.22-0.32-0.45	0.25-0.38-0.50
		Low Carbon Steel, Short Chip, Automatic Steel (<125 HB)	120-75-50	140-100-60	0.10-0.15-0.20	0.14-0.19-0.25	0.16-0.22-0.35	0.22-0.32-0.45	0.25-0.38-0.50
		High Carbon Steel and Medium Carbon Steel (<25HRC)	120-70-45	120-80-60	0.10-0.15-0.20	0.14-0.19-0.25	0.16-0.22-0.32	0.22-0.32-0.45	0.25-0.38-0.50
		Alloy Steel, Tool Steel (<35HRC)	100-70-45	110-80-60	0.09-0.13-0.16	0.12-0.17-0.23	0.14-0.20-0.30	0.18-0.25-0.38	0.20-0.30-0.40
		Alloy Steel, Tool Steel (35-48HRC)	80-60-35	90-60-35	0.08-0.11-0.14	0.08-0.14-0.20	0.09-0.16-0.28	0.12-0.22-0.32	0.14-0.24-0.34
		Ph and Ferritic, Martensitic Steel (<35HRC)	70-50-30	90-60-30	0.05-0.08-0.11	0.07-0.12-0.17	0.08-0.14-0.23	0.12-0.20-0.30	0.14-0.24-0.32
		High Strength PH and Ferritic, Martensitic Steel (35-48HRC)	70-45-25	80-50-30	0.04-0.06-0.08	0.06-0.10-0.14	0.08-0.13-0.20	0.12-0.20-0.30	0.14-0.24-0.32
3D, 5D, 8D	M	Alloy Steel, Tool Steel (35-48HRC)	—	80-60-40	0.05-0.08-0.10	0.07-0.12-0.14	0.09-0.15-0.20	0.12-0.20-0.24	0.14-0.24-0.28
		Austenitic Stainless Steel (130- 200HB)	—	80-60-40	0.03-0.06-0.08	0.05-0.08-0.10	0.07-0.11-0.14	0.10-0.14-0.18	0.12-0.16-0.22
		Strength Austenitic / Cast Stainless Steel (<25HRC>)	—	60-45-30	0.03-0.06-0.08	0.05-0.08-0.10	0.07-0.11-0.14	0.10-0.14-0.18	0.12-0.16-0.22
12D, 15D, 20D, 25D	M	Alloy Steel, Tool Steel (35-48HRC)		60-50-40	0.04-0.08-0.10	0.06-0.10-0.12	0.08-0.12-0.16	0.10-0.14-0.18	
		Austenitic Stainless Steel (130- 200HB)		60-50-40	0.04-0.06-0.08	0.06-0.08-0.10	0.08-0.10-0.12	0.10-0.12-0.14	
		Strength Austenitic / Cast Stainless Steel (<25HRC>)		50-40-30	0.04-0.06-0.08	0.06-0.08-0.10	0.08-0.10-0.12	0.10-0.12-0.14	
3D, 5D, 8D, 12D, 15D, 20D, 25D	K	Gray Cast Iron, Ductile Cast Iron (<28HRC)	140-100-60	160-120-60	0.13-0.17-0.20	0.17-0.25-0.30	0.23-0.30-0.40	0.30-0.40-0.50	0.35-0.45-0.55
		Cast Iron Alloy, Ductile Cast Iron (<28HRC)	120-80-60	140-100-60	0.11-0.15-0.18	0.15-0.20-0.25	0.20-0.28-0.36	0.25-0.35-0.48	0.30-0.40-0.50
		High Cast Iron Alloy, Ductile Cast Iron (<45HRC)	100-70-50	100-80-50	0.06-0.09-0.11	0.10-0.13-0.16	0.14-0.20-0.26	0.20-0.26-0.32	0.23-0.28-0.35